




WICK® 200



PORTABLE TWO STAGE HIGH PRESSURE FIRE PUMP

- For Emergency Rescue Equipment used by forestry and other emergency services
- The WICK® 200 is the culmination of modern pump and engine design resulting in unsurpassed performance
- Powered by a 10 HP, 210 cc modern 2-stroke Solo engine
- Electronic over-speed protection cut-out switch (patented)
- Detachable 2-stage foam-compatible pump using a one piece stainless steel clamp
- Nikasil cylinder wall for extended wear and low maintenance
- User friendly and easy pull starting
- Detachable rewind starter for emergency rope start
- See chart for available fuel connection models

Performance standard correction as per SAE J1349; 60° F / 15.5° C; Baro 29.92 in. / 101.3 mB



WEIGHT & DIMENSIONS

Length	22.75"	57.8 cm
Width	14.25"	36.2 cm
Height	14.25"	36.2 cm
Weight	51.0 lbs	23.1 kg
Suction	2.0" NPSH	50 mm
Discharge	1.5" NPSH	38 mm

ENGINE

Solo	2 stroke; 210 cc; 10.0 Hp
Ignition	Flywheel magneto; solid state; breaker less
Cylinder	Nikasil cylinder wall
Lighting coil	20 Watts

Specifications subject to change without notice

5838 Cypihot
Saint Laurent, QC
Canada, H4S 1Y5

Phone 514.335.4337
Phone 877.937.9660
Fax 514.335.9633

mercedestextiles.com
sales@mercedestextiles.com



WICK® 200

BID SPECIFICATION

- The portable fire pump must have a 10 HP, 210cc 2-stroke Solo engine
- The pump must be equipped with an electronic over-speed protection cut-out switch
- The pump must be equipped with an electronic ignition
- The pump must not weigh more than 51 lbs / 23.1 Kg
- The engine cylinder walls must be Nikasil treated
- The pump must be equipped with a detachable 2 stage foam compatible pump end that is attached to the engine using a one piece stainless steel clamp
- The pump must have a detachable rewind starter for emergency rope start.
- The pump must be available with Chrysler, Mercury, SAE, Yamaha or USDA style fuel quick-connect
- The pump must be available with a transportable back pack.
- The pump must have minimum flow and pressures as shown in the performance chart on the opposite page



WICK® 200

Part#	Description
71WICKF201-10S-A	WICK® 200 Fire Pump - Mercury fuel connection
71WICKF201-10S-C	WICK® 200 Fire Pump - Chrysler fuel connection
71WICKF201-10S-ASW	WICK® 200 Fire Pump - Mercury fuel connection / Special Sweden
71WICKF201-10S-CJP	WICK® 200 Fire Pump - Chrysler fuel connection / Special Japan



OPTIONAL

	Part#	Description
A	71W37-HPACK	Back board for carrying
B	70FLPFTS	Fuel Tank .. 6.6 US Gal. / 25 Liters *
C1	70FLPFL-M	Fuel Line Complete (Mercury)
C2	70FLPFL	Fuel Line Complete (Chrysler)
C3	70FLPFL-Y	Fuel Line Complete (Yamaha)
C4	70FLPFL-MAN	Fuel Line Complete Mercury Female (Manitoba)
C5	70FLPFL-GSA	Fuel Line Complete with SAE swivel Female at both ends
C5	70FLPFL-NB	Fuel Line Complete with SAE swivel Female at both ends .. extended length
C6	70FLPFL-USDA	Fuel Line Complete (USDA)
D1	70FLHPPQC	Hand Primer QC
D2	70FLHPPPS	Hand Primer NPSH
D2	70FLHPPNH	Hand Primer NH
E1	70FL15TPPS	Thread protector 1 1/2" / 38mm
E1	70FL20TPPS	Thread protector 2" / 51mm
E1	6124NM24PF	Adaptor .. 1 1/2" / 38mm NH Male x 1 1/2" / 38mm NPSH Female
E2	6140NM32PF	Adaptor .. 2 1/2" / 64mm NH Male x 2" / 51mm NPSH Female
F	71W37-SPKARR	Spark Arrestor
G	70FL20DLP10	Draftlite HP suction hose .. 2"/51mm x 10'/3M c/w NPSH *
H	70FLV25NF-S	Foot Valve / Strainer 2 1/2"/64mm NH (NST) Female (Stainless steel screen) *

* See website for complete listing of accessory and related products